



ZT DOORS



INTERIOR DOOR CATALOG

ztdoorsusa.com • (727) 465-3435




ZT Doors is proud to open doors for Florida's residential builders and remodelers. After years of growing in industry product knowledge and assembling an impressive selection of best-in-class components, ZT expanded to manufacture our own unique pre-hung exterior door system. That system was specifically built to withstand the tests of time in Florida's often unforgiving climate. Since then, our dealers have become accustomed to this enduring quality as well as our excellent service.

Several years ago we expanded our product offering to cover the inside of Florida's homes with our interior stile & rail door slabs and systems.

This collection is focused on the simple premise of crafting doors for the design needs of our diverse customers. It has something for every architectural space and style.

TABLE OF CONTENTS

Interior Door Introduction.....	4	Primed Glazed Doors.....	24
Design Ideas	5-9	System Options & Hardware	25
Panel Doors Introduction.....	10	20-Minute Fire Rated Options.....	26
Primed Panel Doors.....	11-19	Standard Options.....	27
Primed Louver Doors	20-21	Hardware	28-31
Glazed Doors Introduction.....	22	Availability Guide	32-35
Primed Direct Glazed Doors	23		



INTERIOR DOOR INTRODUCTION

ZT Doors is proud to offer high quality stile and rail interior doors for Florida's builders and remodelers. These doors are not only built to last, but they are constructed specifically with ease of installation and finishing in mind.

All of our interior doors have a resilient primed coat finish, and the glass areas of our glazed doors are factory built with glass protection film applied.


Our stocking program ensures that we have all the shaker panel, beveled panel, glazed, or louver doors you need, at the time and price you need.

Primed 8401 Shaker




COASTAL

The Coastal home style is relaxing, light, and breezy. Its open design and lighter tones mirror the natural beauty of the shoreline.



8401
1-Panel



8402
2-Panel



8402BF
2-Panel Bifold



8730
Louver Door



8403
3-Panel



8401GL
White Lami
1-Lite



8433CL
Clear
3-Lite



8401CL
Clear
1-Lite




1310
Clear
10-Lite



CONTEMPORARY


Contemporary homes reflect the architecture and design of today. They represent sharp design and clean curb appeal.






CRAFTSMAN

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic.



8401
1-Panel



8401BF
1-Panel
Bifold



8433CL
Clear
3-Lite



8403
3-Panel



8403BF
3-Panel
Bifold



8433GL
White Lami
3-Lite




8402
2-Panel



8730
Large Slat
Louver Door



8401GL
White Lami
1-Lite



CLASSIC

Classic homes are comforting and familiar. Their interiors are calm, orderly and consistent.





CARIBBEAN

The Caribbean design combines aspects of Mediterranean, Spanish, and many other tropical architectural styles. Rustic textures compliment vivid color schemes in an inspiring mix of old world charm and casual playfulness.



8730
Large Slat
Louver Door



8730BF
Louver
Bifold



1802
Shaker 45
2-Panel




1801
Beveled
1-Panel



1801BF
Shaker 45
1-Panel
Bifold



1410CL
Clear
1-Lite
Ovolo



OV22
2-Panel Ovolo



OV22BF
2-Panel
Ovolo
Bifold



1310 Clear
10-Lite
Ovolo

PRIMED PANEL DOOR INTRODUCTION

Get the beautiful interior doors you need for any home aesthetic. Our interior stocking program has many designs and sizes to meet the varying needs and tastes in our market.

Our Ovolo bead door offers traditional styling while our shaker door has a clean-cut, contemporary look. Glazed versions are also available (see pg 22).

Our paneled options also now include a bevel beaded Shaker 45, for a more unique look.



Ovolo Raised Panel



Shaker Panel



Shaker 45 Panel



Primed 8401

Ovolo Raised 2-Panel: OV22

With raised panels and beautiful embossed stop, our ovolo bead panel door options have a comforting and timeless design that compliments a wide range of aesthetics.

These come in 1-3/8" thickness.



Available in 6/8 & 8/0



Available in 6/8 & 8/0

See chart on page 32-35 for availability

PRIMED PANEL DOORS

Shaker 1-Panel: 8401

Sometimes, simple is best! This design will add clean, subtle details to your home's interior look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 32-35 for availability

Shaker 2-Panel: 8402

Our new take on a classic design, we have updated this timeless look with clean cut edges and flat panels.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0




Available in 6/8 & 8/0

PRIMED PANEL DOORS

Shaker Craftsman 3-Panel: 8403

Keep the hand-worked touches flowing through the interior of your home with this unique design.

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Available in 6/8, 7/0 & 8/0




Available in 6/8 & 8/0

See chart on page 32-35 for availability

Shaker Equal 3-Panel: 8433

Our most subtle version of the contemporary multi-paneled look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

PRIMED PANEL DOORS

Shaker 4-Panel: 8444

This sharp, trendy look is sure to impress!

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Available in 6/8 & 8/0



Available in 6/8 & 8/0

See chart on page 32-35 for availability

Shaker 5-Panel: 8405

Five stacked panels offer a high-end modern feel.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

Shaker 45 1-Panel: 1801

This sharp, trendy look is sure to impress!

These come standard in 1-3/8" thickness and have 20-minute fire rated options available in 1-3/4".



Available in 6/8 & 8/0



Available in 6/8 & 8/0

See chart on page 32-35 for availability



Shaker 45 2-Panel: 1802

Five stacked panels offer a high-end modern feel.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8 & 8/0



Available in 6/8 & 8/0

PRIMED LOUVER DOORS

Large Slat Louver 2-Panel: 8730

ZT's primed louver doors and bifolds increase ventilation and promote air flow.

Our 3-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness.



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 32-35 for availability



Standard Slat Louver 2-Panel: 8830

ZT's primed louver doors and bifolds increase ventilation and promote air flow.

Our 1-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness.



Available in 6/8 & 8/0



Available in 6/8 & 8/0

PRIMED GLAZED DOOR INTRODUCTION



ZT Doors offers an array of glazed door options that are sure to compliment your unique architectural style.

Both direct and standard glazed options are available, each with our traditional Ovolo bead or with the more modern, shaker look.

Clear and diffused white laminate privacy glass are stocked for most options.

3'0" x 6'8" 1310 Primed French Door With Clear 10-Lite Glass

PRIVACY GUIDE

ZT Doors offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the "Privacy Level" for that product. Please refer to the guide below. **Note:** This guide is subjective. It should only be used when comparing our glass designs.

PRIVACY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Completely Clear

Objects can be clearly seen through the glass from the opposite side.

Diffused/Distorted

Objects are distorted, but can still be detected from the opposite side.

Completely Opaque

Only light will travel through from the opposite side.

PRIMED DIRECT GLAZED DOORS

Direct Glazed Options:

These come in 6/8 & 8/0 heights at 1-3/8" thickness.

Shaker style comes in clear or diffused white lami while Ovolo style comes only in clear.




Clear Safety Glass (CL)
PRIVACY 1



DWL Safety Glass (GL)
PRIVACY 10



8401
Shaker



8433
Shaker



8405
Shaker



1401CL
Ovolo
(Clear glass only)

PRIMED GLAZED DOORS



Ovolo Woodbar Clear

We keep it classic by applying Ovolo beaded woodbars over clear safety glass, for a fantastic french door feel.

These come in 6/8 & 8/0 heights at 1-3/8" thickness.



Ovolo Bead



1310 6/8



1315 6/8



1312 8/0



1318 8/0

See chart on page 32-35 for availability

The task of choosing the right interior door is only complete once you've selected the right hardware and components to accompany it.

ZT is committed to providing you best-in-class products to hang, operate, and secure your interior door- all in styles and finishes to meet your specific design aesthetic.

Primed 8401 Shaker

20-MINUTE FIRE RATED OPTIONS

4"x4" 5/8" Radius Hinge Finishes



Satin Nickel
(Plain bearing only)



Black
(Ball bearing only)




Oil Rubbed Bronze
(Ball bearing only)

20-minute units come with at least two of their bearing hinges upgraded to spring.

Sill Options


QOSR

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket




QOSH

- High performance seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket




ISCS

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



ISW


- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket




Sill Finishes



Mill Finish



Black Finish



Bronze Finish

Jamb



Primed Composite Jamb
(4-9/16", 5-1/4" 6-9/16", 7-1/4")

3-1/2" or 4" 5/8" Radius Hinge Finishes



Satin Nickel
(4x4 plain bearing only)



Black
(4x4 ball bearing only)



Oil Rubbed Bronze
(4x4 ball bearing only)



Satin Brass
(4x4 plain bearing only)

6/8 height units come with three standard bearing hinges, 7/0 and 8/0 heights come with four.
If the slab is 1-3/8" thick, the hinges are 3.5", while units with 1-3/4" slabs have 4" hinges.

Flush Bolts

7" Flush Bolts (6/8, 7/0)



Satin Nickel
(Also available in black & oil rubbed bronze)

16" Flush Bolts (8/0)



Oil Rubbed Bronze
(Also available in satin nickel & black)

Astragals & Jamb



Composite Astragal
(Available for 1-3/8" or 1-3/4" doors)



Primed Combo Jamb
For use with 1-3/8" or 1-3/4" door
(Available in 4-9/16" & 5-1/4" widths)

Ball Catch & Strike



Satin Nickel
(Also available in black & oil rubbed bronze)

For additional jamb width options, ZT offers a Flat Jamb in 6-9/16" width which can be paired with our 1-1/4" Stop.

Leversets & Knobsets

We have a wide variety of lever and knob designs in various grades and functions- so you're sure to find what you need for your home's exterior or interior! We even offer multiple rose options to help your doorways really stand out.



SIERRA KNOB



KODA LEVER



NAPLES LEVER (HANDED)



BARON KNOB



MIRA LEVER



KONA KNOB ROUND



ONYX LEVER



KONA KNOB SQUARE

Stops

Heavy Duty Spring Stop



Satin Nickel

Modern Profile Stop



Satin Nickel

Hinge Pin Stop

Satin Nickel
(Also available in black)

Concave Wall Stop

Stainless Steel
(Also available in black)

Roller Catch & Strike

Satin Nickel
(Also available in black & oil rubbed bronze)

Drive In Finger Pull

Satin Nickel
(Also available in black)

Pocket Locks

Available in Privacy & Passage functions.

Privacy Lock

Bright Chrome
(Also available in satin nickel & black)

Passage Lock

Satin Nickel
(Also available in black & bright chrome)

Aluminum Pocket or Heavy Duty Bifold Track

(For 1" to 1-3/4" doors weighing up to 200lbs each)



800 Series Track

Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 10/0, 12/0, 16/0)

Pocket or Heavy Duty Bifold Hardware



120 Pocket Hardware Bag

2 Wheel Rollers

(For doors up to 100lbs, 1 bag per door)

508 Pocket Hardware Bag

4 Wheel Rollers

(For doors up to 150lbs, 1 bag per door)

(For doors up to 200lbs, 1 1/2 bags per door)



350 2 Door Heavy Duty Bifold Hardware Bag

4 Wheel Roller

350 4 Door Heavy Duty Bifold Hardware Bag

4 Wheel Rollers



Aluminum Heavy Duty Bypass Track

(For 1" to 1-3/8" doors weighing up to 200lbs each)



2300 Series Track

Mill Finish

(Available in the following widths: 4/0, 5/0, 6/0, 8/0, 12/0)

Heavy Duty Bypass Hardware



230 Heavy Duty Bypass Hardware Bag 2 Wheel Rollers

(For doors up to 100lbs, 1 bag per 2 doors)

230 Heavy Duty Bypass Hardware Bag 4 Wheel Rollers

(For doors up to 150lbs, 1 bag per 2 doors)



802 Heavy Duty Roller Hanger

(Adding a third 4 wheel roller per door will increase weight capacity up to 200lbs)

AVAILABILITY GUIDE

Please contact your representative to confirm availability.

LEGEND

● = IN STOCK ● = IN STOCK 20 MIN FIRE RATED ○/○ = AVAILABLE AT CLOSEOUT PRICING WHILE SUPPLY LASTS

1-3/8" Primed Panel Doors & Bi-Folds	Door Widths										Bi-Fold Widths (6/7 Height)		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
OV22 Ovolo 2-Panel	●	○	○	●	○	●	●	●	○	●	●	●	●
8401 Shaker 1-Panel	●	●	●	●	●	●	●	●	●	●	●	●	●
8402 Shaker 2-Panel	●	●	●	●	●	●	●	●	●	●	●	●	●
8403 Shaker Craftsman	●	●	○	●	○	●	●	●	●	●	●	●	●
8433 Shaker 3-Panel	●	●	●	●	●	●	●	●	●	●	●	●	●
8444 Shaker 4-Panel	●	●	○	●	○	●	●	●	●	●	●	●	●
8405 Shaker 5-Panel	●	●	●	●	●	●	●	●	●	●	●	●	●
1801 Shaker 45 1-Panel	●			●		●	●	●	●	●	●	●	●
1802 Shaker 45 2-Panel	●			●		●	●	●	●	●	●	●	●
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401 Shaker 1-Panel				●	○	●	●	●	●	●			
8402 Shaker 2-Panel				●	●	●	●	●	●	●			
8403 Shaker Craftsman				○	○	○	○	○	○	●			
8433 Shaker 3-Panel				●	○	●	●	●	●	●			
8405 Shaker 5-Panel				○	○	●	●	●	●	●			
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
OV22 Ovolo 2-Panel	●			●	○	●	●	●	○	●	○	●	○
8401 Shaker 1-Panel	●			●	○	●	●	●	●	●	●	●	●
8402 Shaker 2-Panel	●			●	●	●	●	●	●	●	●	●	●
8403 Shaker Craftsman	●			●	○	●	●	●	○	●	●	●	○
8433 Shaker 3-Panel	●			●	○	●	●	●	●	●	●	●	●
8444 Shaker 4-Panel	●			●	○	●	●	●	●	●	●	○	●
8405 Shaker 5-Panel	●			●	○	●	●	●	●	●	●	●	●
1801 Shaker 45 1-Panel	●			●		●	●	●	●	●	●	●	●
1802 Shaker 45 2-Panel	●			●		●	●	●	●	●	●	●	●

Please contact your representative to confirm availability.

LEGEND

• = IN STOCK • = IN STOCK 20 MIN FIRE RATED O/O = AVAILABLE AT CLOSEOUT PRICING WHILE SUPPLY LASTS

1-3/4" Primed Panel Doors & Bi-Folds	Door Widths										Bi-Fold Widths (6/7 Height)		
	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
6/8 Height 1-3/4" Thick													
8401 Shaker 1-Panel				•	O	•	•	•	•	•			
8401 Fire Rated							•	•	O	•			
8402 Shaker 2-Panel				•	O	•	•	•	O	•			
8402 Fire Rated							•	•	O	•			
8403 Fire Rated							•	•		•			
8433 Shaker 3-Panel				•	O	•	•	•	•	•			
8433 Fire Rated							•	•		•			
8444 Fire Rated							•	•		•			
8405 Shaker 5-Panel				O	O	•	•	•	O	•			
8405 Shaker Rated							O	•		•			
1801 Shaker 45 Fire Rated							•	•	•	•			
1802 Shaker 45 Fire Rated							•	•	•	•			
7/0 Height 1-3/4" Thick													
8401 Shaker 1-Panel				O									
8401 Fire Rated								•	O	•			
8402 Fire Rated								•	O	•			
8403 Fire Rated								O	O	O			
8433 Fire Rated								O	O	O			
8405 Fire Rated								O	O	•			
8/0 Height 1-3/4" Thick													
8401 Shaker 1-Panel				•	O	•	•	•	•	•			
8401 Fire Rated							•	•	O	•			
8402 Shaker 2-Panel				•	•	•	•	•	•	•			
8402 Fire Rated							•	•	O	•			
8403 Fire Rated							O	•	O	•			
8433 Shaker Craftsman				•	O	•	•	•	•	•			
8433 Fire Rated							•	•	O	•			
8444 Fire Rated							O	•		•			
8405 Shaker 5-Panel				•	O	•	•	•	•	•			
8405 Fire Rated							O	•	•	•			
1801 Shaker 45 Fire Rated							•	•	•	•			
1802 Shaker 45 Fire Rated							•	•	•	•			

AVAILABILITY GUIDE

Please contact your representative to confirm availability.

LEGEND

• = IN STOCK • = IN STOCK 20 MIN FIRE RATED O/O = AVAILABLE AT CLOSEOUT PRICING WHILE SUPPLY LASTS

Louver Doors & Bi-Folds	Door Widths										Bi-Fold Widths (6/7 Height)		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730 Large Slat Louver	•			•	•	•	•	•	•	•	•	•	•
8830 Small Slat Louver				•		•	•	•	•	•	•	•	•
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730 Large Slat Louver				•		O	•	O	O	•			
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730 Large Slat Louver	O			•	O	•	•	•		•	•	•	•
Primed Direct Glazed Doors	Door Widths										Bi-Fold Widths		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401 Clear	•			•	O	•	•	•	•	•			
8401 DWL	•			•	O	•	•	•	•	•			
8433 Clear	O			•		•	•	•	O	•			
8433 DWL	•			•		•	•	•	•	•			
8405 Clear	•			O		O	•	O	O	•			
8405 DWL	•			•		•	•	•	•	•			
1401 Clear				•			•						

Please contact your representative to confirm availability.

LEGEND

• = IN STOCK • = IN STOCK 20 MIN FIRE RATED O/O = AVAILABLE AT CLOSEOUT PRICING WHILE SUPPLY LASTS

Primed Direct Glazed Doors	Door Widths										Bi-Fold Widths		
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8401 Clear	O			•	O	•	•	•	•	•			
8401 DWL	•			•	O	•	•	•	•	•			
8433 Clear	O			•		•	•	•	O	•			
8433 DWL	O			•		•	•	•	O	•			
8405 Clear	O			•		•	•	•	O	•			
8405 DWL	•			•		•	•	•	•	•			
1401 Clear				•			•						
Woodbar Glazed Door Clear Glass	Door Widths (1300 Series)										Bi-Fold Widths		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
1310 10 Lite				•		•	•	O		•			
1315 15 Lite				O		O	•	•		•			
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
1312 12 Lite				•		•	•	•		•			
1318 18 Lite				O		O	•	O		O			



ZT DOORS

ztdoorsusa.com • (727) 465-3435